

Acetic Acid Solution Dosing Chart

A dilute acid solution sometimes used to reconstitute certain peptides that don't dissolve well in plain water. Not a drug. Commonly discussed doses: 1000 mg–1000 mg. This is a solvent, not an active ingredient — it has no dose. It is used in small volumes to dissolve certain peptides before further dilution. Figures shown reflect that it is a reconstitution liquid, not a dosed compound.

thelastpeptide.com · Medically reviewed by Charles Maddix, MSN, APRN, PMHNP-BC · Last reviewed 2026-08-02

FDA STATUS

Not a drug and not FDA-approved for any therapeutic use. Dilute acetic acid solution is a laboratory reconstitution aid, not a medication.

30 mg vial — units to draw (U-100 syringe)

Water added	mg/mL	1000 mg
1 mL	30	—
2 mL	15	—
3 mL	10	—

"—" means the draw exceeds one syringe at that concentration. Interactive calculator for any combination: thelastpeptide.com/peptides/acetic-acid-solution

Acetic Acid Solution dose figures are commonly discussed reference information with no approved labeling unless stated above. The Last Peptide is an educational reference and sells nothing. Dosing figures shown here are commonly discussed reference information, not prescriptions or medical advice. Many peptides listed are not FDA-approved. Talk to a licensed clinician before using any peptide.