

CJC-1295 Dosing Chart

A GHRH analog discussed in growth hormone secretagogue protocols, frequently paired with ipamorelin. Commonly discussed doses: 100 mcg–300 mcg. Reference figures from community protocols. Formulations with and without DAC are dosed on very different schedules.

thelastpeptide.com · Medically reviewed by Charles Maddix, MSN, APRN, PMHNP-BC · Last reviewed 2026-08-02

FDA STATUS

Not FDA-approved for any use. CJC-1295 was placed in Category 2 of FDA's bulk drug substances list. Prohibited in sport by WADA.

2 mg vial — units to draw (U-100 syringe)

Water added	mg/mL	100 mcg	300 mcg
1 mL	2	5 u	15 u
2 mL	1	10 u	30 u
3 mL	0.67	15 u	45 u

5 mg vial — units to draw (U-100 syringe)

Water added	mg/mL	100 mcg	300 mcg
1 mL	5	2 u	6 u
2 mL	2.5	4 u	12 u
3 mL	1.67	6 u	18 u

10 mg vial — units to draw (U-100 syringe)

Water added	mg/mL	100 mcg	300 mcg
1 mL	10	1 u	3 u
2 mL	5	2 u	6 u
3 mL	3.33	3 u	9 u

"—" means the draw exceeds one syringe at that concentration. Interactive calculator for any combination: thelastpeptide.com/peptides/cjc-1295

CJC-1295 dose figures are commonly discussed reference information with no approved labeling unless stated above. The Last Peptide is an educational reference and sells nothing. Dosing figures shown here are commonly discussed reference information, not prescriptions or medical advice. Many peptides listed are not FDA-approved. Talk to a licensed clinician before using any peptide.