

CJC-1295 No DAC + Ipamorelin Dosing Chart

The most common growth-hormone secretagogue pairing, combining a GHRH analog with a ghrelin-mimetic. Neither component is approved; the blend is unregulated. Commonly discussed doses: 100 mcg–300 mcg. No established dosing exists for the combination — figures reflect the individual components' community doses, typically given together. There is no approved labeling for either.

thelastpeptide.com · Medically reviewed by Charles Maddix, MSN, APRN, PMHNP-BC · Last reviewed 2026-08-02

FDA STATUS

Not FDA-approved. Both CJC-1295 and ipamorelin are in Category 2 of FDA's bulk drug substances list, and the combination has not been studied.

5 mg vial — units to draw (U-100 syringe)

Water added	mg/mL	100 mcg	200 mcg	300 mcg
1 mL	5	2 u	4 u	6 u
2 mL	2.5	4 u	8 u	12 u
3 mL	1.67	6 u	12 u	18 u

10 mg vial — units to draw (U-100 syringe)

Water added	mg/mL	100 mcg	200 mcg	300 mcg
1 mL	10	1 u	2 u	3 u
2 mL	5	2 u	4 u	6 u
3 mL	3.33	3 u	6 u	9 u

"—" means the draw exceeds one syringe at that concentration. Interactive calculator for any combination: thelastpeptide.com/peptides/cjc-1295-no-dac-plus-ipamorelin

CJC-1295 No DAC + Ipamorelin dose figures are commonly discussed reference information with no approved labeling unless stated above. The Last Peptide is an educational reference and sells nothing. Dosing figures shown here are commonly discussed reference information, not prescriptions or medical advice. Many peptides listed are not FDA-approved. Talk to a licensed clinician before using any peptide.